



Scan the QR code to visit
permastripe.us



**PermaStripe c/o
Heskins LLC**
PO Box 559, East Butler, PA
16029, USA

T: 877 900 8359
Email: mail@heskins.us

permastripe.us

Also from Heskins



Anti Slip

Additional slip-protection for walkways, steps and work areas.



Reflective Tapes

The Heskins range of reflective, hi-vis tapes give you a choice in marking tapes that will highlight steps, hazards and objects in virtually all lighting conditions.



Glow in the Dark

In a lights out situation, Heskins glow in the dark tape emits a strong photo-luminescent reaction that can illuminate entrance/exit ways.

Heskins Warranty



Warranty claims are only limited to replacement of product. The warranty does not cover items being dragged, pushed or scraped across such as pallets or transit skids or bulldozing of loads.



FLOOR MARKING SYSTEMS



High quality self-adhesive lines and symbols
designed for maximum durability



Heskins floor marking solutions
are applied in...

- Warehouses
- Factories
- Hospitals
- Supermarkets
- Fulfillment centers
- Distribution centers
- Manufacturing plants
- Airports

Our products have many advantages over
paint or resin marking systems

Unlike liquid systems Heskins floor marking products can be instantly applied allowing the area to be used immediately afterwards.

If a change in your floor layout is required then our tapes can usually be removed without snapping or fractures eliminating the need to scrape. Lifting cleanly, without solvents is also really important for food preparation or pharmaceutical areas as no fumes are generated.

Minimal preparation

The surface merely need to be clean, dry and free from grease. Porous surfaces may need priming prior to application. Our team are always happy to help with installation advice.

Fast application

Our applicator is available for sale or hire. Long straight runs of tape can be quickly applied from an ergonomically comfortable stance.

Enhance your brand message

Display corporate colors throughout your facility. We can match to any RAL, Pantone or NCS, please inquire for Minimum Order Quantities etc.

Great service

Our team has many years experience supplying floor marking systems and can help advise on popular route planning strategies used in sectors such as aerospace, automotive, logistics and defense to name a few.

We're happy to send samples and swatches for you to see the quality of our products for yourself.

PermaStripe®

World's most durable floor marking tape

- Solid color all the way through
- 0.05” thick
- Strong permanent adhesive
- Die-Cuts

PermaRoute®


The world's only complete floor marking system

- Tough laminate construction
- Strong permanent adhesive
- 0.03” thick
- Cut to any shape

PermaLean®

The leanest industrial grade floor tape in the world

- 0.022”/570mu thick
- Strong permanent adhesive
- Laminate with printed design or message or solid material for Pantone and RAL colors



PermaStripe®

World's most durable floor marking tape

- Solid color all the way through
- 0.05” thick
- Strong permanent adhesive
- Easy to apply
- Chamfered edge




PermaStripe 3 Year Warranty

The Heskins warranty for PermaStripe® floor marking tape is conditionally warranted 3 years from purchase. Warranty claims are only limited to replacement of PermaStripe®. The warranty does not cover items being dragged, pushed or scraped across such as pallets or transit skids.



A solid single material. Unlike like low quality printed tapes PermaStripe® won't fade or lose its color. Even when scratched the color continues all the way through so you can fit and forget knowing that the quality look you achieve on installation day will last as long as you need.

Due to its extreme strength it will not snap if removed, enabling easy workplace 5S floor marking changes.



Sizes & Shapes

Roll widths from 2” to 4”. A wide range of ready cut PermaStripe® shapes allow you to create junctions and designate special areas, all to the same high quality.

PermaStripe® smooth

Product code PERM_S

PermaStripe® Smooth floor tape was created in response to a request for a line marking material which was easier to clean. Our sleek, PermaStripe® Smooth has all the same benefits as our flagship PermaStripe® range but with one minor difference. It does not feature the embossed surface, meaning that there are no areas on it that can trap dirt and harbor bacteria.

PermaStripe® Smooth is perfect for areas that must meet heavily regulated hygiene standards. It still provides durable, 5S optimization, with a smooth aesthetic surface that is easier to clean and would compliment any area to which it is applied.



- PERM_N
BLACK
(E,S)
- PERM_R
RED
(E,S)
- PERM_O
ORANGE
(E,S)
- PERM_Y
YELLOW
(E,S)
- PERM_F
FLUORESCENT
YELLOW (E)
- PERM_V
GREEN
(E,S)
- PERM_B
BLUE
(E,S)
- PERM_J
DARK BLUE
(E)
- PERM_P
PURPLE
(E)
- PERM_W
WHITE
(E,S)
- PERM_Z
BLACK/YELLOW
HAZARD (E,S)
- PERM_A
RED/WHITE
HAZARD (E,S)
- PERM_E
BLACK/WHITE
HAZARD (E)

E = PERMASTRIP
(EMBOSS)
S = PERMASTRIP
SMOOTH

PermaRoute®

The world’s only complete floor marking system

- Tough laminate construction
- 0.03” thick
- Strong permanent adhesive
- Low profile
- Cut to any shape



Roll widths up to 49”



With PermaRoute® you’re not restricted to simple lines. It’s a versatile floor marking system which allows you to develop a clear set of visual guides. It looks clean and efficient and also helps your process controls.


Many stock colors and shapes make planning a marking scheme easy. In addition, features can be created to your specification, expanding the possibilities and making PermaRoute® an open-ended, future proof choice.

- ROUT_N BLACK
- ROUT_R RED
- ROUT_O ORANGE
- ROUT_Y YELLOW
- ROUT_F FLOURESCENT YELLOW
- ROUT_V GREEN
- ROUT_B BLUE
- ROUT_J DARK BLUE
- ROUT_W WHITE
- ROUT_D BLACK/YELLOW HAZARD
- ROUT_A RED/WHITE HAZARD
- ROUT_H GREEN/WHITE HAZARD
- ROUT_E BLACK/WHITE HAZARD
- ROUT_P BLACK/ORANGE HAZARD



PermaRoute® Die Cuts

PermaRoute® is a modular system complete with lines, angles, joins, shapes and icons in all industry standard colors. Corner joins and angles are available to fit roll widths up to 49”.



PermaRoute® schemes are used worldwide in factories, warehouses, assembly areas and logistic bases



Floor Markers

Many popular designs available in various languages and styles. See website for current range.



Custom Shapes

Custom shapes and features can be created to your specification further expanding the possibilities and making PermaRoute® an open-ended, future proof choice.

Our digital cutting table can cut any shape - just send your artwork or any outline image and we’ll do the rest.




Printed Floor Graphics

Any message or branding digitally reproduced in full color on sheets of PermaRoute®.

PermaLean

The leanest industrial grade floor tape in the world

- 570 mu thick
- Strong permanent adhesive
- Laminate with printed design or message or solid material for Pantone and RAL colors



What is PermaLean?

PermaLean is an extremely tough floor marking material. The film thickness is an incredible 0.022”/ 570mu thick, it is designed for application when normal floor marking tapes just aren’t good enough, it is designed to be applied and forgotten, it has a super strong permanent adhesive that once down, stays down! The leaner profile suits itself well for minor irregularities on the floor. PermaLean offers resellers fantastic reselling margins always backed up the class leading Heskins service levels.





- LEAN_N BLACK
- LEAN_R RED
- LEAN_O ORANGE
- LEAN_Y YELLOW
- LEAN_V GREEN
- LEAN_B BLUE
- LEAN_W WHITE
- LEAN_D YELLOW/BLACK HAZARD
- LEAN_A RED/WHITE HAZARD
- LEAN_E BLACK/WHITE HAZARD



PermaLean Construction

For plain colors it is produced from a solid homogenous piece of color plastic film that is 0.019” thick, for hazard chevron colors (black/yellow and red/white) to ensure that you get the most durable hazard possible we print onto a 0.009” base film then laminate a tough clear 0.009” upper film to ensure that the pattern can never be scratched off!



PermaLean (Hazard)

Print is protected under a thick upper layer, it cannot wear off.

Mild embossed laminate to help prevent slips.

PermaLean (Plain Colors)

Colored material means appearance of scratches or cuts is minimized.

Mild embossed laminate to help prevent slips.

PermaLean Sizes & Shapes

Rolls & die-cut widths up to 49”. Our stock range of PermaLean die-cut designs can be produce very quickly, but any custom shapes will be considered (minimum order quantities and additional tooling costs are required).



Corner joins and angles are available to fit stock roll widths up to 49”. Letters and numbers are available in 3 sizes.

Accessories

Our system is so simple that few accessories are needed but some care taken in preparation will certainly improve the durability of your installation.



Seam Rollers

Heskins seam rollers are available to help increase the durability of your anti slip tape or floor marking tape application. By using the seam roller once you have applied your anti slip or floor marking tape, by applying pressure to the surface with the seam roller, this increases the bond between the adhesive and floor surface. This results in a quickly cured surface with a durable application.



Surface Primer PRIM

Heskins water based surface primer is ideal for sealing porous surfaces such as wood, concrete or stone prior to application of our anti slip tape to prevent moisture degrading the adhesive; it also greatly helps to create an extra bond on other surfaces.



IPA Cleaner 3508

To effectively clean surfaces before our grip tape is applied we recommend Heskins IPA cleaner; it helps to remove contaminants, it does not leave behind a greasy residue unlike methylated spirits, petrol etc.

Isopropyl alcohol (IPA) as an alcohol-based cleaner is fast drying, so will leave your application surface clean and dry very quickly.



Edge Fix EDGE

Heskins edge fix sealer greatly helps to prevent the lifting of the Safety-Grip™ anti-slip in high traffic areas. One simply applies the edge fix down the side of the tape using the narrow nozzle built into the tube, it helps to secure the product and extend its life.



Keying Agent PROMOTER

Keying agent, applied in small amounts, will increase the amount of energy in an otherwise low energy surface and help create that efficient and durable bond.

Applicator

Available to buy or hire our applicator makes the job of laying long lengths of material as simple as walking in a straight line.

